



**000-931**

**IBM Tivoli Netcool/Proviso V4.4.1 Implementation**

**Exam number/code:** 000-931

**Exam name:** IBM Tivoli Netcool/Proviso V4.4.1 Implementation

**Questions & Answers:** 121 Q&A

**Related Certifications:** [Advanced Deployment Professional](#),  
[Deployment Professional](#)



**Hundreds of people each day pass their IT certification exams with Testking guaranteed certification resources and training kits.**

Use the [IBM 000-931](#) questions and answers to practice for your next IBM certification exam. If you don't pass – you don't pay! Testking has the first and only 100% product satisfaction and exam passing guarantee. Advanced practice questions and answers help drive the information into your routine thinking and surpass 000-931 brain dumps in retention and skill building.

[IBM](#) 000-931 exam answers and practice questions can be used at home or office, installable on up to two PCs, or print the questions and answers to take with you and train on-the-go! IBM 000-931 preparation tools are the perfect fit for any IBM certification candidate with [000-931](#) training materials for every level of entry.

### **Exam Engine Features**

Control your IT training process by customizing your practice certification questions and answers. The fastest and best way to train.

- \* Truly interactive practice tests
- \* Create and take notes on any question
- \* Retake tests until you're satisfied
- \* YOU select the areas of the exam to cover
- \* Filter questions for a new practice test experience each time
- \* Re-visit difficult questions

Exam: 000-931 Certification Questions & Answers

Question 1:

Click the Exhibit button.

```
# inventory_subelements.txt
#(FAMILY) ((Elem. FAMILY))((sysObjId Mask) (Match Formula) ((I)) (Discovery Formula))
[[I]] [[cancel FAMILY]] [[{...}]]
1213_Device |Generic-Agent |1.3.6.1 |NULL |<*>|ACME-1213_Device |<*>| I
1213_IF |Generic-Agent |1.3.6.1 |NULL |<*>|ACME-1213_IF |<*>| I
2223_IF(Exp) |Generic-Agent |1.3.6.1 |R3-2223_IF_match |<*>|ACME-2223_IF_Invariant |<*>| I

1213_IF
Dim II AS Integer Default = NAME If:
V1 = OIDVAL(ifType.NIL format clean, once);
V2 = OIDVAL(sysLocation.0, once);
V3 = OIDVAL(ifSpeed.NIL, once);
V4 = OIDVAL(int(V3/1000000), once);
V5 = OIDVAL(ifAdminStatus.NIL format clean, once);
V6 = OIDVAL(ifDescr.NIL, once);
V7 index "If<II>|IF II | (V4Mbps) |type<V1>location<V2>physicalCapacity<V3>status<V5>|";

1213_IF_Invariant
Dim II AS Integer Default = NAME If:
V1 = OIDVAL(ifType.NIL format clean, once);
V2 = OIDVAL(ifDescr.NIL, once);
V7 index "If<II>|UNSPECIFIED_LABEL||| (V1-V2)";
```

Testking

Which of the following statements is true?

- A. The matching will fail because 1213\_IF\_Invariant defines a new invariant.
- B. 1213\_IF\_Invariant will create a new subelement in addition to the one created by 1213\_IF, because it does not use Def AllowCreationOfSE 0.
- C. Only one set of subelements will be created, because both formulas use the same key, but with an invariant made of ifDescr and ifType, and label only discovered by 1213\_IF.
- D. Only one set of subelements will be created, because both formulas use the same key, but with an invariant made of ifDescr and ifType, and label discovered by 1213\_IF, except where missing.

Answer: D

Question 2:

Following an installation of a UBA-based Application Pack which two actions must be taken to ensure that any metric data processed by the UBA will be accepted by the CME? (Choose two.)

- A. Restart the CME.
- B. Import style sheets.
- C. Import collection requests.
- D. Copy the dc.cfg file to all DataChannel hosts.
- E. Ensure grouping is run on any related inventory profile.

Answer: C,E

Question 3:

An administrator notices subchannel 1.99 has no data, despite the following conditions: Bulk inventory has finished successfully.

The input source contains data.

The data is being processed by BCOL.1.99.

BOF files are being created and passed downstream.

None of the components are in flow control.

The reports are working fine for SNMP subchannel 1.1.

What are three reasons why the reports contain no data? (Choose three.)

- A. The late data window has not been defined correctly.
- B. Bulk subchannels can start only from 100 onwards.
- C. The subelements are not in the correct reporting groups.
- D. Bulk data needs to work on a separate channel for itself.
- E. The timestamp on input data is earlier than that of creation date of resources for subchannel 1.99.
- F. The requests for the metrics and resources in the file which are being collected should also be deployed.

**Answer: C,E,F**

**Question 4:**

What are the maximum number of processors supported in an SNMP DataLoad?

- A. 1
- B. 2
- C. 4
- D. 8

**Answer: B**

**Question 5:**

If using the sample database Oracle Recovery Manager backup scripts which of the following actions must be performed before the read only database backup can be executed?

- A. The hot backup script must be executed first.
- B. All hourly loaders and daily loaders must be stopped.
- C. The database must be changed to operate in archive mode.
- D. No specific action must be performed before executing the read only backup.

**Answer: D**

**Question 6:**

Which command could be run to locate whether an element with IP address 192.168.135.62 is in collection on the SNMP DataLoad?

- A. `statGet -l requests | grep 192.168.135.62`
- B. `statGet -l stats -o targets -i 192.168.135.62`
- C. `statGet -l objects -o targets 192.168.135.62`
- D. `statGet -l requests -o targets 192.168.135.62`

**Answer: A**

**Question 7:**

What two types of reports show threshold information? (Choose two.)

- A. TopN
- B. Rank Variation
- C. Real-time Charts
- D. Group Summary Table
- E. Resource Threshold Table

**Answer: D,E**

**Question 8:**

Which cluster products are supported for use with Proviso?

- A. Heartbeat
- B. Veritas Cluster Server
- C. Microsoft Cluster Server
- D. System Automation for Multiplatform

**Answer: B**

**Question 9:**

A customer has a requirement to have two different portal look and feel options, one for internal users and another for external users.

How can this requirement be fulfilled?

- A. A SilverStream cluster can be created to provide these two portals.
- B. SilverStream supports only one portal appearance per installation; so two servers are required.
- C. Create custom login, logout, printable, and portal pages, and assign them to appropriate report users.
- D. Along with custom pages for login, logout, printable, and portal pages, the appearance for all reporters must be modified. Thus two instances of SilverStream database are required.

**Answer: C**

**Question 10:**

Which of the following statements is true regarding Proviso sizing?

- A. Group density is affected only by reporting tree.
- B. Group density is affected only by collection tree.
- C. Group density is affected both by collection and reporting group trees.
- D. Group density is not affected by collection or reporting group trees, but by discovery groups.

**Answer: A**

**Question 11:**

Which two considerations should be taken into account when planning a geographical remote disaster recovery site for Proviso? (Choose two.)

- A. Allocate adequate network bandwidth to copy data between sites.

- B. Evaluate the volume of data and frequency to be replicated between the remote sites.
- C. Determine the number of Channel Management processes that will be required for both sites.
- D. Select metrics to be collected, frequency of collection and method of collection (bulk or SNMP).
- E. Ensure that the SNMP Collector is running on port 3002 and the WatchDog is running on port 3003.

**Answer: A,B**

**Question 12:**

What can be done to improve discovery performance for an inventory profile?

- A. Create a new SNMP data collector.
- B. Configure the inventory\_subelements.txt file.
- C. Investigate the grouping rules and consolidate elements.
- D. Consolidate other profiles' elements into the problem profile.

**Answer: B**

**Question 13:**

Which two of the following statements are true related to Proviso grouping? (Choose two.)

- A. Report grouping structure determines the load on CME.
- B. Subelements in reporting tree determine data aggregation.
- C. Reports can only be deployed under the NOC Reporting tree.
- D. Reports cannot be deployed in groups under Subelement Collect tree.
- E. Collection requests can only be deployed in groups under Subelement Collect tree.

**Answer: A,B**

**Question 14:**

Which of the following choices determines which Application Packs are needed?

- A. Group density of the custom grouping structure
- B. Number of aggregation sets and their associated timezones
- C. Set of metrics and technologies that the customer needs to collect
- D. Number of SNMP and Bulk DataLoads and their associated subchannels

**Answer: C**

**Question 15:**

Why would DIM I1 syntax be used in a discovery formula?

- A. To declare an instance variable
- B. To define the device type to be monitored
- C. To define if the device is currently up or down
- D. To execute a mathematical calculation of the variable returned

**Answer: A**

Related 000-931 Exams:

<a href="#">000-037</a>	<a href="#">000-035</a>	<a href="#">000-033</a>	<a href="#">000-030</a>	<a href="#">000-093</a>
<a href="#">000-877</a>	<a href="#">000-876</a>	<a href="#">000-875</a>	<a href="#">000-874</a>	<a href="#">000-779</a>
<a href="#">000-873</a>	<a href="#">000-778</a>	<a href="#">000-872</a>	<a href="#">000-870</a>	<a href="#">000-774</a>
<a href="#">000-773</a>	<a href="#">000-027</a>	<a href="#">000-771</a>	<a href="#">000-025</a>	<a href="#">000-022</a>
<a href="#">000-021</a>	<a href="#">000-020</a>	<a href="#">000-908</a>	<a href="#">000-905</a>	<a href="#">000-900</a>
<a href="#">000-375</a>	<a href="#">000-215</a>	<a href="#">000-608</a>	<a href="#">000-019</a>	<a href="#">000-018</a>
<a href="#">000-017</a>	<a href="#">000-016</a>	<a href="#">000-015</a>	<a href="#">000-014</a>	<a href="#">000-012</a>
<a href="#">000-011</a>	<a href="#">000-009</a>	<a href="#">000-008</a>	<a href="#">000-007</a>	<a href="#">000-006</a>
<a href="#">000-002</a>	<a href="#">000-648</a>	<a href="#">000-055</a>	<a href="#">000-939</a>	<a href="#">000-541</a>
<a href="#">000-938</a>	<a href="#">000-937</a>	<a href="#">000-936</a>	<a href="#">000-934</a>	<a href="#">000-933</a>
<a href="#">000-347</a>	<a href="#">000-899</a>	<a href="#">000-993</a>	<a href="#">000-898</a>	<a href="#">000-340</a>
<a href="#">000-799</a>	<a href="#">000-892</a>	<a href="#">000-891</a>	<a href="#">000-890</a>	<a href="#">000-046</a>
<a href="#">000-533</a>	<a href="#">000-928</a>	<a href="#">000-436</a>	<a href="#">000-594</a>	<a href="#">000-926</a>
<a href="#">000-434</a>	<a href="#">000-433</a>	<a href="#">000-922</a>	<a href="#">000-430</a>	<a href="#">000-920</a>
<a href="#">000-399</a>	<a href="#">000-888</a>	<a href="#">000-138</a>	<a href="#">000-293</a>	

Popular Certification Exams:

<a href="#">ISFS</a>	<a href="#">70-620</a>	<a href="#">920-157</a>	<a href="#">HP2-K19</a>	<a href="#">EW0-200</a>
<a href="#">C-BODI-20</a>	<a href="#">000-379</a>	<a href="#">Section 5: Writing</a>	<a href="#">1Y0-A21</a>	<a href="#">920-220</a>
<a href="#">74-674</a>	<a href="#">1D0-541</a>	<a href="#">RDCR08201</a>	<a href="#">000-700</a>	<a href="#">920-193</a>

Hot Certifications:

<a href="#">CSS</a>	<a href="#">MCTS: BizTalk Server 2006 R2, Custom Applications</a>	<a href="#">OCA</a>	<a href="#">SolarWinds CP</a>	<a href="#">CWTS</a>
---------------------	---	---------------------	-------------------------------	----------------------

Popular Certification Providers:

<a href="#">Oracle</a>	<a href="#">ASVAB</a>	<a href="#">Nokia</a>	<a href="#">Avaloq</a>	<a href="#">MECP</a>
------------------------	-----------------------	-----------------------	------------------------	----------------------