



156-815

Check Point Provider-1 NGX (v4)

Exam number/code: 156-815

Exam name: Check Point Provider-1 NGX (v4)

Questions & Answers: 75 Q&A

Related Certifications: [CCMSE](#)



Hundreds of people each day pass their IT certification exams with Testking guaranteed certification resources and training kits.

Use the [Checkpoint 156-815](#) questions and answers to practice for your next Checkpoint certification exam. If you don't pass – you don't pay! Testking has the first and only 100% product satisfaction and exam passing guarantee. Advanced practice questions and answers help drive the information into your routine thinking and surpass 156-815 brain dumps in retention and skill building.

[Checkpoint](#) 156-815 exam answers and practice questions can be used at home or office, installable on up to two PCs, or print the questions and answers to take with you and train on-the-go! Checkpoint 156-815 preparation tools are the perfect fit for any Checkpoint certification candidate with [156-815](#) training materials for every level of entry.

Exam Engine Features

Control your IT training process by customizing your practice certification questions and answers. The fastest and best way to train.

- * Truly interactive practice tests
- * Create and take notes on any question
- * Retake tests until you're satisfied
- * YOU select the areas of the exam to cover
- * Filter questions for a new practice test experience each time
- * Re-visit difficult questions

Exam: 156-815 Certification Questions & Answers

Question 1:

Logging in to the MDS requires your username or certificate and password. Which of the following is also required?

- A. Resolvable name of Primary MDS
- B. IP Address of CMA
- C. Resolvable name of CMA
- D. Virtual IP Address (VIP) of CMA
- E. Default IP Address of CMA

Answer: A

Question 2:

The General View is the only view in which an administrator can:

- A. Execute custom commands
- B. Assign a Global Policy to a customer
- C. Edit the CMA and MDS objects
- D. Reboot a remote workstation
- E. View statistics on a remote Security Gateway's performance

Answer: C

Question 3:

For which of the following components in a Provider-1 NGX deployment can a SmartCenter server be configured as a backup?

- A. Primary MLM backed up by a Secondary CMA
- B. CLM
- C. Primary CMA backed up by a Secondary CMA
- D. MDG
- E. MLM

Answer: C

Question 4:

How many CMAs can be configured for each customer on a single MDS?

- A. Two different Primary CMAs
- B. Depends on configuration: either one primary CMA and one secondary CMA or one primary CMA and one customer Log Module
- C. Unlimited
- D. Two, one primary CMA and one secondary CMA
- E. One

Answer: E

Question 5:

Two CMAs can be for a single customer, for High Availability (HA). Which of these statements is NOT correct for this type of CMA configuration?

- A. The HA scheme requires one primary CMA and one secondary CMS, housed on different MDS computers
- B. If the Active CMAs data has not recently been synchronized with the Standby CMA, it can no longer be used to replace the Active CMA if failover occurs.
- C. Should a CMA fail for any reason, the standby CMA can continue operation without service interruption
- D. Administrators make Security Policy changes through the Active CMA only

Explanation:

Pending. Send your suggestion to feedback@testking.com

Question 6:

When is it necessary to configure an IP Address range on the Secondary MDS?

- A. When Selectively backing up a specific CMA from the Primary MDS
- B. When configuring the Secondary MDS for Management High Availability
- C. When mirroring the Primary MDS to the Secondary MDS
- D. When the Secondary MDS is located outside the NOC configuration
- E. When configuring the Secondary MDS as an MLM

Answer: C

Question 7:

Which of the following services must be allowed through the NOC firewall to give a remote MDG access to the MDS?

- A. CP_GUI
- B. CPMI
- C. FW1_CPMI
- D. TCP_GUI
- E. FW1_MGMT

Answer: B

Question 8:

Two CMAs can be created for a single customer, for High Availability (HA). Which of these statements is NOT correct for this type of CMA configuration?

- A. Administrators make Security Policy changes through the Active CMA only
- B. The CMAs must be synchronized to maintain the same information
- C. The HA scheme requires one primary CMA and one secondary CMS, housed on different MDS computers
- D. If the Active CMA's data has not recently been synchronized with the Standby CMA, it can no longer be used to replace the Active CMA if fail over occurs
- E. Should a CMA fail for any reason, the Standby CMA can continue operation without service interruption

Answer: D

Question 9:

To configure cross-customer VPNs, what CMA information must be imported into the Global Security Policy?

- A. User Group objects
- B. Network objects
- C. Administrators objects
- D. Gateway objects
- E. Customer objects

Answer: D

Question 10:

How many CMAs can be configured for each customer?

- A. No more than five
- B. Only One
- C. Two Primary and two secondary
- D. One primary and one secondary
- E. Unlimited

Answer: D

Question 11:

During the installation process of an MDS MLM, the MLM should be configured as a:

- A. VPN-1 NGX Management Server
- B. Comprehensive log server
- C. MDS Container
- D. Primary MDS
- E. Primary MLM

Answer: C

Question 12:

How many CLMs can each MDs MLM hold?

- A. 500
- B. 50
- C. 225
- D. 250
- E. unlimited

Answer: D

Question 13:

Evaluate the following statement: GUI clients and Administrators defined on the MDS are transferred to the SmartCenter Database during synchronization.

TestKing [Checkpoint 156-815](#) Exam Questions & Answers

- A. False, only Administrators defined on the MDS are transferred during database synchronization. GUI clients must be manually defined
- B. True, all GUI clients and Administrators are applied to a backup SmartCenter Server automatically during database synchronization
- C. False, a SmartCenter Server cannot be used to back up a CMA in a Provider-1 NGX configuration
- D. False, GUI clients and Administrators must be manually defined on the SmartCenter Server. They are not transferred during database synchronization
- E. False, only GUI clients defined on the MDS are transferred during database synchronization. Administrators must be manually defined

Answer: D

Question 14:

In Provider-1 NGX, which servers are predefined as global services for use in the Global SmartDashboard?

- A. All services are predefined in VPN-1 NGX, except VOIP related services
- B. None of the services are predefined
- C. All services are predefined in VPN-1 NGX, except the required user-defined CPMI service
- D. Only Firewall-1 control connections are predefined
- E. All services are predefined in VPN-1 NGX

Answer: E

Question 15:

Which of the following commands will mirror the complete functionality of MDS1 to MDS2?

- A. Mdscmd mirrormds MDS2 MDS1
- B. Mirror MDS1 MDS2
- C. Mdscmd mirrorcma < IP Address of MDS1> < IP Address of MDS2>
- D. Mdscmd mirrormds < IP Address of MDS1> < IP Address of MDS2>
- E. Mdscmd mirrorcma MDS1 MDS2

Answer: E

Related 156-815 Exams:

[156-816-61](#)

[156-816](#)

[156-815-70](#)

Popular Certification Exams:

[000-513](#)

[190-841](#)

[HP0-D07](#)

[156-910.70](#)

[220-603](#)

[BH0-005](#)

[JN0-140](#)

[1Y0-740](#)

[HP0-Y36](#)

[922-104](#)

[HP2-Z05](#)

[000-700](#)

[50-663](#)

[190-738](#)

[650-173](#)

Hot Certifications:

TestKing [Checkpoint 156-815](#) Exam Questions & Answers

[JNCIA](#)

[CCIE Storage
Networking](#)

[Siemens
Enterprise
Communications
Certification](#)

[CSND](#)

[SAS Institute
Systems](#)

Popular Certification Providers:

[3COM](#)

[Autodesk](#)

[HDI](#)

[Zend](#)

[Cisco](#)